

PRODUCT SAFETY DATASHEET

CEILING ACCESSORIES AND COMPONENTS



1. Product Identification

Products: Composite Steel and Aluminium Accessories/Components (backing plates, trims, suspension & connection components, brackets etc)
Use: For use in conjunction with SAS International ceilings system
Company: SAS International
31 Sutton Business Park
London Road
Reading
Berkshire
RG6 1AZ

2. Composition

The product is either aluminium alloy or mild steel coated with zinc by either an electrolytic or hot dip process and finished where applicable with polyester powder paint or alternative finishes.

Steel sections are in accordance with the following standards:
EN 10346:2015 Continuously hot-dip coated steel flat products for cold forming
EN 10142 Electrolytic galvanised steel sheet
EN 10152:2017 Electrolytically zinc coated cold rolled steel flat products for cold forming

Aluminium section are extruded from Billet type: 6063

3. Hazards Identification

The Products are non-toxic under normal conditions of storage and use. Metal sections are good electrical conductors and precautions should be taken to ensure that contact is not made with live power sources.

4. First Aid Measures

Inhalation: No hazards expected under normal use. Use appropriate respiratory protection, or vacate the area if exposed to excessive levels of fumes or dust.
Skin Contact: Rinse loose material away from skin and then wash skin thoroughly using recommended skin cleaner. If after final rinsing and thorough drying of skin, it is still giving problems, seek medical attention.
Eye Contact: Do not rub eyes. Immediately flush with water for at least 15 minutes – see medical attention if symptoms persist.
Ingestion: No hazards expected under normal use. If gastric disturbance occurs, seek medical attention.

5. Fire Fighting Measures

Under normal conditions of storage and use the products are not flammable or Hazardous. Product packaging and protection may burn.

General Fire Hazard: Will not burn
Extinguishing media: Water, Foam, Carbon Dioxide or Dry Powder
Special Fire Fighting Procedures: None
Unusual Fire and Explosive hazards: None
Hazards Conduction Products: None
Flash Point: None
Auto Ignition: N/A
Method used: N/A
Flammability Classification: N/A
Upper Flammable Limits: N/A
Lower Flammable limits: N/A
Rate of Burning: N/A

PRODUCT SAFETY DATASHEET

CEILING ACCESSORIES AND COMPONENTS



6. Accidental Release Measures

No special requirements

7. Handling and Storage

No special precautions are necessary for normal handling and storage, and no health problems are to be expected from long term exposure during these operations.

These products may have sharp edges and corners, the use of gloves when handling is recommended.

Galvanised steel components could have a presence of hydrocarbon rolling oils which may cause irritation of the skin during prolonged exposure. In such cases, the use of a suitable barrier cream, gloves and attention to personnel hygiene is essential.

The products should be kept dry at all times and stored in a dry environment and protected from damage including the weather.

8. Exposure and Personal Protection

Measures Levels of Exposure of Operators when using the Product The Health & Safety Executive in its Guidance note EH40/2011 - 'Occupational Exposures Limits' lays down exposure limits on the basis of a time weighted average. These are detailed below:

Material Type of Limit Long term Exposure limit (8hr TWA)

Welding Fume OES 5mg/m²

Zinc Oxide Fume OES 5mg/m²

Iron Oxide Fume OES 5mg/m²

Appropriate respiratory protection should be employed if the occupational exposure limits are exceeded.

Personal Protective Equipment (PPE)

Respiratory

Protection: Not normally required

If the surface of the product is either mechanically, hand sanded, cutting or welding inhalable dust/flumes and other harmful substances may be released. If such operations cannot be avoided, appropriate respiratory protection is required complying with EN 149 FFP 1 or FFP2.

Hand Protection: Wear protective gloves to prevent injury when cutting product or package banding straps.

Eye Protection: Suitable eye protection should be worn when power tools are operated, cutting or welding the product or when pallet banding straps are released.

Skin Protection: Any skin cuts and abrasions should be protected by an appropriate dressing. Protective clothing should be worn to prevent laceration of skin by sharp, damaged or cut edges of profiles; or during handling or release of pallet banding strips or tie wires on bundles.

Refer to Personal Protective Equipment at Work Regulations 1992 for guidance.

PRODUCT SAFETY DATASHEET

CEILING ACCESSORIES AND COMPONENTS



9. Physical and Chemical Properties

Physical

Properties: Light commercial steel or aluminium sections

Chemical

Properties: Hot dipped galvanised steel

Steel Composition	Iron	99.9%
	Carbon	0.08%
	Manganese	0.35%
	Aluminium	0.08%
Coating Composition	Zinc	99.5%
	Aluminium	0.50%
Organic Coating	Primer: Epoxy or Polyester	
	Finish: Polyester	

Organic coating applied to galvanised steel are epoxy primer and polyester finish which are fully polymerised by induction curing and no volatile compounds remain in this coating.

10. Stability and Reactivity

Product is stable with no known conditions to avoid and no known hazardous decomposition products.

11. Toxicological Information

No Known toxicological effects

12. Ecological Information

Eco – toxicity: No known adverse environmental effects.

13. Disposal Considerations

Not classified as special waste under Waste Regulations 2011. Materials should be treated as commercial scrap and removed to an appropriate recycling or disposal centre in accordance with local regulations.

Packaging and interleaving materials where used should be collected and suitably recycled or disposed of in accordance with local regulations.

14. Transport Information

No restricted for transport regulations, no special precautions necessary

15. Regulatory Information

No special labelling required

16. Other Information

This safety data sheet should not be considered replacement for a workplace risk assessment as required by The Control of Substances Hazardous to Health (COSHH) Regulation 2002 and Construction Design Management (CDM) Regulations 2015.

Reference Information:

Health & Safety at Work act 1974
The Control of Substances Hazardous to Health (COSHH) Regulation 2002
Manual Handling Operations Regulations 1992
Personal Protective Equipment at Work Regulation 1992
HSE Guidance Note EH 40/2011 – Work Exposed Levels.